

HOME PINCH ROLLER HOME SLITTER HOME PRO7 OPEN ENDED PINCH ROLLER PR6 CLOSED END PINCH ROLLER
MLS-12 MULTIPLE SLITTER PINCH ROLLER PRICING SLITTER PRICING EXPERT SLITTER BLADE SHARPENING
DLS-36 36" SINGLE CUT LAMINATE SLITTER DLS-26 26" SINGLE CUT LAMINATE SLITTER LS-12 12" SINGLE CUT SLITTER
LS-7 7" SINGLE CUT SLITTER PARTS WARRANTY



Mar-Bel Associates
777 Walkerbilt Rd Unit #8
Naples, FL 34110
Phone: 727-251-4056 Fax: 239-236-4056
marbelassoc@gmail.com www.marbel.com

PRICES AND SPECIFICATIONS SUBJECT
TO CHANGE WITHOUT NOTICE

MADE IN U.S.A.

[CLICK FOR A DOWNLOADABLE PDF OF THIS PAGE](#)

[CLICK FOR SLITTER PRICING](#)

[CLICK FOR PARTS](#)

[CLICK FOR SLITTER BLADE SHARPENING](#)

INDUSTRIAL PRICING MAR-BEL PINCH/NIP ROLLERS

ALL PINCH ROLLERS FEATURE A TOP ROLLFACE THAT IS 1.5" LONGER ON ONE END THAN THE BOTTOM ROLL FACE TO ACCOMMODATE RAISED EDGES UP TO 2". ALL STANDARD MOTORS ARE 1/4 HP, SPLIT PHASE, 110V, 60HZ TOTALLY ENCLOSED FAN COOLED GEARMOTORS. FRONT AND REAR SAFETY GATES AND MOTOR BRAKES ARE STANDARD EQUIPMENT. ***(SEE PINCH ROLL SPECIFICATION PAGE IN NAVIGATION BAR ABOVE FOR A DESCRIPTION OF SAFETY FEATURES, PRODUCT WARRANTY AND OPTIONS AVAILABLE)***

OPEN END PRO7 MODELS

THE OPEN ENDED PRO7 HAS A "C" FRAME WHICH GIVES IT THE CAPACITY TO WORK WITH "L" SHAPED SUBSTRATE AS WELL AS OVERSIZE FLAT WIDTHS WHOSE UN-PRESSED AREA CAN ALSO BE RUN THROUGH THE MACHINE BY ROTATING IT 180 DEGREES IN THE HORIZONTAL PLANE AND RUNNING THROUGH THE UNIT AGAIN. THUS A 72" WIDE PANEL CAN BE PRESSED IN A 61.5" PRO7 BY MAKING TWO PASSES.

MAR-BEL's PRO7 Open Ended Pinch Rollers are the only production models presently manufactured in the United States for the woodworking industry

The Open-Ended PRO7 Model Series has a "C" Frame which gives it the capacity of working with "L" shapes and oversize flat widths whose un-pressed area can also be run through the machine by rotating it 180 degrees in the horizontal plane. Thus a 72" wide panel can be pressed in a 61-1/2" machine by making two passes.

**PRO7 Open Ended Pinch Rollers
EFFECTIVE June 2013**

| Model | Capacity Top/Bottom Rollers (") | Width (") | Length (") | Height (") | Shipping Weight (LBS)* | Price F.O.B. Plant ** |
|---------|---------------------------------------|-----------|------------|------------|------------------------------|--------------------------|
| PRO7-31 | 33/31.5 | 42 | 64 | 60 | 850 | Discontinued |
| PRO7-51 | 53/51.5 | 42 | 84 | 60 | 898 | \$13,810 |
| PRO7-61 | 63/61.5 | 42 | 95 | 60 | 912 | \$14,248 |

**PR6 Closed End Pinch Rollers
EFFECTIVE JUNE 2013**

| Model | Capacity Top/Bottom Rollers (") | Width (") | Length (") | Height (") | Shipping Weight (LBS)* | Price F.O.B. Plant ** |
|--------|---------------------------------------|-----------|------------|------------|------------------------------|--------------------------|
| PR6-31 | 33/31.5 | 42 | 54 | 60 | 850 | Discontinued |
| PR6-51 | 53/51.5 | 42 | 74 | 60 | 898 | \$10,902 |
| PR6-61 | 63/61.5 | 42 | 84 | 60 | 912 | \$11,201 |

* Machine's actual weight is approximately 200 lbs less than the crated weight

** Due to sharp fluctuations in the steel and lumber markets, please confirm pricing and crating charge before quoting or ordering. Current Crating Charge is \$150 per machine.

IF YOU REQUIRE A FREIGHT QUOTE WE HIGHLY RECOMMEND MR. TIM MCMULLIN: merely supply him with the model number and destination zip code and he will respond by e mail or fax

*Stronghold Solutions
Tim McMullin
Direct: 913.839.3546
Fax: 913-538-2225
tim@strongholdsolutions.net*

